



Products Catalogue

WSL Refrigeration

Display Cabinets • Serve Over Counters • Freezers • Multidecks

Technical specifications, product photos and cabinet section drawings



Precise
Temperature Control



Reliable
Performance



Energy
Efficient Systems



Advanced
Refrigeration Solutions



Easy Service &
Maintenance

Catalogue Index

The following WSL refrigeration products are presented as a technical customer catalogue based on the WSL

WSL Moon 89 Doors <i>Vertical Multideck Cabinet - Self Service</i> +3°C to +5°C for M2 at 25°C ambient temperature and 60% relative humidit	WSL Attraction E122 Flat <i>Serve Over Counter - Serve Over</i> 0°C to +2°C for M1 and +3°C to +5°C for M2 at 25°C ambient temperatur	WSL Attraction E122 Flat <i>Serve Over Counter - Corner Serve Over</i> 0°C to +2°C for M1 and +3°C to +5°C for M2 at 25°C ambient temperature a	WSL Neptun H94 <i>Vertical Freezer Cabinet - Frozen Products</i> -18°C to -22°C for L1 at 25°C ambient temperature and 60% relative hum
WSL Comet Doors H99 <i>Self Service Semivertical Cabinet - Grab & Go</i> +3°C to +5°C for M2 at 25°C ambient temperature and 60% relative humidit	WSL Attraction E122 Flat <i>Serve Over Counter - Meat, Poultry, Cheese</i> 0°C to +2°C for M1 and +3°C to +5°C for M2 at 25°C ambient temperatur	WSL Horizon 88 Doors P&P <i>Vertical Multideck Cabinet - Self Service</i> +3°C to +5°C for M2 at 25°C ambient temperature and 60% relative humidit	WSL Moon 89 Open <i>Vertical Multideck Cabinet - Chilled F&V</i> +6°C to +8°C for H1 at 25°C ambient temperature and 60% relative hum

Brand Application

Applied Equip Hub brand identity: Midnight Navy, Energy Orange, Industrial Blue, Steel Grey and Light Grey; dark-background logo treatment; Montserrat-style clean technical typography.

WSL Moon 89 Doors

Vertical Multideck Cabinet - Self Service.

Operating temperature: +3°C to +5°C for M2 at 25°C ambient temperature and 60% relative humidity.

GENERAL DESCRIPTION


- Wall cooling cabinet suitable for display and sale of meat, delicatessen, dairy products, fruits and vegetables.
- Strong value-quality relation.
- Excellent TDA provides display of a significant number of products.
- Available without and with doors.


ACCESSORIES

- Dixell controller.
- Solenoid & ball valve.
- Temperature probes.
- Filter drier.
- Double glass door - new generation.
- Canopy LED lighting - white 4000K.
- 5 rows of 500 mm shelves with shelf label holder and PS extension.

TECHNICAL SPECIFICATIONS

Cabinet depth	890 mm
Height	2180 mm
Front mask height	330 mm
Bump rail	PVC bump rail as standard
Internal color	WSL standard palette
External color	WSL standard palette
Refrigeration system	Central refrigeration system - remote
Refrigerant gas	R404A / R449A / R448A





WSL Attraction E122 Flat

Serve Over Counter - Serve Over.

Operating temperature: 0°C to +2°C for M1 and +3°C to +5°C for M2 at 25°C ambient temperature and 60% relative humidity.

GENERAL DESCRIPTION

- Suitable for display and sale of meat and deli products.
- Elegant and trendy, providing great visibility of displayed products.
- Evaporator in the back provides easy cleaning and cabinet longevity.
- Interior completely made in stainless steel.
- Tempered straight glass lifted by hydraulic rams.
- Stainless steel display deck depth: 900 mm (available 800 mm).
- 252 mm embossed stainless steel working table.
- Available lengths: 937 mm, 1250 mm, 1875 mm, 2500 mm, 3125 mm, 3750 mm.
- Also available as hot section - Bain Marie and hot plates.
- Upper structure lighting (T5) with multiple front decoration panel options.
- Forced circulation; anti-mist glass as standard.

TECHNICAL SPECIFICATIONS

Internal color	Stainless steel
External color	WSL standard palette
Refrigeration system	Central refrigeration system - remote
Refrigerant gas	R404A / R449A / R448A

ACCESSORIES

- Dixell controller.
- Solenoid & ball valve.
- Temperature probes.
- Filter drier.
- Canopy LED lighting - white 4000K.
- Scale deck.
- Cutting board.

WSL Attraction E122 Flat Corner

Serve Over Counter - Corner Serve Over

Operating temperature: 0°C to +2°C for M1 and +3°C to +5°C for M2 at 25°C ambient temperature and 60% relative humidity.

GENERAL DESCRIPTION

- Suitable for display and sale of meat and deli products.
- Elegant and trendy, providing great visibility of displayed products.
- Evaporator in the back provides easy cleaning and cabinet longevity.
- Interior completely made in stainless steel.
- Tempered straight glass lifted by hydraulic rams.
- Stainless steel display deck depth: 900 mm (available 800 mm).
- 252 mm embossed stainless steel working table.
- Available lengths: 937 mm, 1250 mm, 1875 mm, 2500 mm, 3125 mm, 3750 mm.
- Also available as hot section - Bain Marie and hot plates.
- Upper structure lighting (T5) with multiple front decoration panel options.
- Forced circulation; anti-mist glass as standard.

TECHNICAL SPECIFICATIONS


Internal color	Stainless steel
External color	WSL standard palette
Refrigeration system	Central refrigeration system
Refrigerant gas	R404A / R449A / R448A

ACCESSORIES

- Dixell controller.
- Solenoid & ball valve.
- Temperature probes.
- Filter drier.
- Canopy LED lighting - white 4000K.
- Scale deck.
- Cutting board.



CORNER TRIPLE 90 IN





WSL Neptun H94

Vertical Freezer Cabinet - Frozen Products.

Operating temperature: -18°C to -22°C for L1 at 25°C ambient temperature and 60% relative humidity.

GENERAL DESCRIPTION


- Vertical freezer cabinet specially designed for display of ice cream and various frozen products.
- Provides significant energy savings.
- Provides easy access and high transparency of products.

ACCESSORIES

- Dixell controller.
- Solenoid & ball valve.
- Temperature probes.
- Filter drier.
- Triple glass hinged doors.
- LED vertical door frame lighting - white 4000K.

TECHNICAL SPECIFICATIONS

Cabinet depth	940 mm
Shelf depth	580 mm
Shelf rows	5 rows of shelves
Cabinet height	2184 mm
Internal color	WSL standard palette
External color	WSL standard palette
Refrigeration system	Central refrigeration system
Refrigerant gas	R404A / R449A / R448A



WSL Comet Doors H99

Self Service Semivertical Cabinet - Grab & Go.

Operating temperature: +3°C to +5°C for M2 at 25°C ambient temperature and 60% relative humidity.

GENERAL DESCRIPTION



- Semi-vertical cabinet suitable for display and sale of meat, delicatessen, dairy products, fruits and vegetables. Evaporator in the back provides maximum TDA and product visibility.
- Designed for longevity and excellent display height.
- Available without and with doors.
- Available lengths: 1250 mm, 1875 mm, 2500 mm, 3750 mm.


ACCESSORIES

- Dixell controller.
- Solenoid & ball valve.
- Temperature probes.
- Filter drier.
- Double glass door.
- Canopy LED lighting - white 4000K.
- 3 rows of shelves - 300 / 400 / 500 mm with shelf label holder and PS extension.

TECHNICAL SPECIFICATIONS

Cabinet depth	890 mm
Height	2180 mm
Front mask height	330 mm
Bump rail	PVC bump rail as standard
Internal color	WSL standard palette
External color	WSL standard palette
Refrigeration system	Central refrigeration system - remote
Refrigerant gas	R404A / R449A / R448A





WSL Attraction E122 Flat Plug-in

Serve Over Counter - Meat, Poultry, Cheese.

Operating temperature: 0°C to +2°C for M1 and +3°C to +5°C for M2 at 25°C ambient temperature and 60% relative humidity.

GENERAL DESCRIPTION

- Suitable for display and sale of meat and deli products.
- Elegant and trendy, providing great visibility of displayed products.
- Evaporator in the back provides easy cleaning and cabinet longevity.
- Interior completely made in stainless steel.
- Tempered straight glass lifted by hydraulic rams.
- Stainless steel display deck depth: 900 mm (available 800 mm).
- 252 mm embossed stainless steel working table.
- Available lengths: 937 mm, 1250 mm, 1875 mm, 2500 mm, 3125 mm, 3750 mm.
- Also available as hot section - Bain Marie and hot plates (937 mm, 1250 mm, 1875 mm).
- Upper structure lighting (T5) with multiple front decoration panel options.
- Forced circulation; anti-mist glass as standard.

TECHNICAL SPECIFICATIONS

Internal color	Stainless steel
External color	WSL standard palette color
Cabinet type	Plug-in unit
Refrigerant gas	R449A / R448A

ACCESSORIES

- Dixell controller.
- Canopy LED lighting - white 4000K.
- High glass divider.
- Low glass divider.
- Scale deck.
- Cutting board.

WSL Horizon 88 Doors P&P

Vertical Multideck Cabinet - Self Service

Operating temperature: +3°C to +5°C for M2 at 25°C ambient temperature and 60% relative humidity.

GENERAL DESCRIPTION


- Multideck cabinet suitable for displaying prepacked meat, delicatessen, dairy products, fruit and vegetables.
- Great visibility thanks to low front and large vertical display.
- Suitable for multiple shop formats and a wide variety of products.
- Available without and with doors.

ACCESSORIES

- Dixell controller.
- Double glass doors - new generation.
- Canopy LED lighting - white 4000K.
- 4 rows of 400 mm shelves with shelf label holder and PS extension.

TECHNICAL SPECIFICATIONS

Vertical display	1722 mm
Cabinet depth	880 mm (also available 740 mm)
Cabinet height	2165 mm (also available 2005 mm)
Front mask height	320 mm
Internal color	WSL standard palette color
External color	WSL standard palette color
Cabinet type	Plug-in unit
Refrigerant gas	R290A





WSL Moon 89 Open

Vertical Multideck Cabinet - Chilled F&V.

Operating temperature: +6°C to +8°C for H1 at 25°C ambient temperature and 60% relative humidity.

GENERAL DESCRIPTION


- Wall cooling cabinet suitable for display and sale of meat, delicatessen, dairy products, fruits and vegetables.
- Strong value-quality relation.
- Excellent TDA provides display of a significant number of products.
- Available without and with doors.
- Available lengths: 1250 mm, 1875 mm, 2500 mm, 3750 mm.

TECHNICAL SPECIFICATIONS

Cabinet height	2180 mm (also available 2020 mm)
Cabinet depth	890 mm (also available 745 mm, 990 mm, 1074 mm)
Internal color	WSL standard palette
External color	WSL standard palette
Refrigeration system	Central refrigeration system
Refrigerant gas	R404A / R449A / R448A

ACCESSORIES

- Dixell controller
- Solenoid & ball valve
- Temperature probes
- Filter drier
- Manual night curtain
- Top inclined mirror
- Canopy LED lighting - white 4000K
- 5 rows of 500 mm shelves with shelf label holder and PS extension
- Plexiglass product stoppers h:50 mm



Optional Accessories Overview

Accessory categories mentioned in the WSL offer, presented as customer-facing technical options.

Moon & Horizon cabinets

- Panoramic endwall
- Mirrored endwall
- Intermediate endwall with double mirror

Attraction cabinets

- Panoramic endwall
- High glass divider
- Low glass divider
- Scale deck
- Cutting board

Neptun cabinets

- Blind endwall
- Intermediate blind endwall

Comet cabinets

- Panoramic endwall
- Mirrored endwall

Usage Note

This catalogue is intended as a customer-facing technical presentation. Commercial offer data, totals, validity and payment terms from the supplier offer were intentionally excluded.